
Drug Checking in Vancouver Coastal Health

of Samples Tested by Expected Drug Category: 249 Samples Tested Opioid: 163 / Stimulant: 35 / Psychedelic: 31 / Unknown: 9 / Depressant: 6 / Other: 4 / Polysubstance: 1



of samples tested for fentanyl 163 Opioid 35 Stimulant 31 Psychedelic **6** Depressant 4 Other 9 Unknown 1 Polysubstance samples samples samples samples samples samples samples 19 FENTANYL NEGATIVE 33 FENTANYL NEGATIVE 140 FENTANYL POSITIVE 3 FENTANYL NEGATIVE (86%) (61%) (94%) (75%) 3 **FENTANYL** FENTANYL **FENTANYL** 12 FENTANYL NOT FENTANYL 1 FENTANYL NOT FENTANYL **FENTANYL** NOT NOT TESTED* **6** FENTANYL NEGATIVE 1 FENTANVI POSITIVE **NEGATIVE NEGATIVE** POSITIVE TESTED* POSITIVE TESTED* TESTED* (39%) (100%) (100%)(67%) (25%)(2%) (3%)



To receive drug contamination alerts, text "alert" to (236) 999-DOPE (3673)

This report summarizes key indicators for Fourier Transform Infrared (FT-IR)/fentanyl test strip combination drug checking done in Vancouver Coastal Health in September 2019.

As the FT-IR spectrometer has a detection limit of 3-4% by weight (Sherman et al., 2018), unless otherwise stated, a drug check on any given sample consists of <u>both</u> Bruker ALPHA Fourier-Transform Infrared (FTIR) spectrometer <u>and</u> BTNX fentanyl immunoassay test strip testing done in combination. When applicable, BTNX benzodiazepine or lysergic acid diethylamide (LSD) immunoassay test strips are also used.

Please note that these data are not finalized and are subject to change.

^{* &}quot;Fentanyl not tested" means that a fentanyl test stip wasn't done for the sample because the client declined to do the test, or they left before the test was able to be completed.






of drugs checks and hours at each respective site:

Location	# of Drug Checks	Hours
Insite	141	32
Molson OPS	105	24
SisterSpace	3	6
Total	249	62


of samples that matched client expectation

*using FTIR/test strip drug checking




Total

249 Samples Tested



Matched: 216
Did not match: 24
Match not determined: 9

Drug Checking in Vancouver Coastal Health



Please note that the presence of the expected substance does not imply purity, as samples frequently contain adulterating cutting agents *'Down' can refer to any opioid drug present in any amount

Depressant may include: benzodiazepines, GHB, zopiclone **Opioid may include:** "down," heroin, fentanyl, fentanyl analogues, pharmaceutical opioids

Polysubstance includes: cross-category mixtures

Psychedelic may include: 2C-family, tryptamines, ketamine, MDMA, LSD, cannabis Stimulant may include: "speed", crystal meth, cocaine. cathinones

Unknown includes: all samples in which the client could not identify the expected substance

BCCSU and VCH gratefully acknowledge the contributions of the following partners:

Portland Hotel Society | Insite | Molson Overdose Prevention Site | SisterSpace | Overdose Prevention Society

St. Paul's Overdose Prevention Site | Powell Street Getaway | Three Bridges















