
Drug Checking in British Columbia

of Samples Tested by Expected Drug Category:


375 Samples Tested

Opioid: 240 / Stimulant: 73 / Psychedelic: 34 / Unknown: 14 / Depressant: 10 / Other: 3 / Polysubstance: 1





of samples tested for fentanyl





Public Health Notifications

| Date & Location | Expected Drug | Drugs Detected | Fentanyl Strip | What does this mean? |
|------------------------------------|------------------|---|-------------------|--|
| 3 October 2019- MOPS, Vancouver | Fentanyl | Suspected Etizolam and Carfentanil | Positive | Benzo OD's can recur after Naloxone; Check your drugs at any OPS or SCS |
| 30-October 2019- Safepoint, Surrey | Down | Synthetic cannabinoid (suspected AMB-FUBINACA) | Positive | May cause cannabis-like hallucinations; Use at an OPS/SCS |

To receive drug contamination alerts in the VCH region, text "alert" to (236) 999-DOPE (3673)

This report summarizes key indicators for Fourier Transform Infrared (FT-IR)/fentanyl test strip combination drug checking done in British Columbia in October 2019.

As the FT-IR spectrometer has a detection limit of 3-4% by weight (Sherman et al., 2018), unless otherwise stated, a drug check on any given sample consists of <u>both</u> Bruker ALPHA Fourier-Transform Infrared (FTIR) spectrometer <u>and</u> BTNX fentanyl immunoassay test strip testing done in combination. When applicable, BTNX benzodiazepine or lysergic acid diethylamide (LSD) immunoassay test strips are also used.

Please note that these data are not finalized and are subject to change.

^{* &}quot;Fentanyl not tested" means that a fentanyl test stip wasn't done for the sample because the client declined to do the test, or they left before the test was able to be completed.

Drug Checking in British Columbia

of Samples Tested by Region:

Total #: 375

233: Vancouver Coastal Health region (62%)



53: Interior Health region (14%)

89: Fraser Health region (24%)

of samples that matched client expectation

*using FTIR/test strip drug checking

EXPECTED DRUG:

Stimulant

Matched: 72

Did not match: 1

73 Samples Tested

EXPECTED DRUG: **Depressant**

10 Samples Tested



Matched: 3

Did not match: 7

EXPECTED DRUG: Unknown 14 Samples Tested



Match not determined: 14

EXPECTED DRUG:

Psychedelic 34 Samples Tested




Matched: 33

Did not match: 1

EXPECTED DRUG:

Opioid 240 Samples Tested



Matched: 220 Did not match: 20 EXPECTED DRUG:

Polysubstance

1 Sample Tested



Matched: 1

EXPECTED DRUG:

Other


3 Samples Tested



Matched: 2 Did not match: 1


Total

375 Samples Tested



Matched: 331 Did not match: 30 Match not determined: 14

Drug Checking in British Columbia



Please note that the presence of the expected substance does not imply purity, as samples frequently contain adulterating cutting agents *'Down' can refer to any opioid drug present in any amount

Depressant may include:

benzodiazepines, GHB, zopiclone **Opioid may include:** "down," heroin, fentanyl, fentanyl analogues, pharmaceutical opioids

Polysubstance includes: cross-category mixtures

Psychedelic may include: 2C-family, tryptamines, ketamine, MDMA, LSD, cannabis

Stimulant may include: "speed", crystal meth, cocaine, cathinones

Unknown includes: all samples in which the client could not identify the expected substance

BCCSU gratefully acknowledges the contributions of the following partners:

Portland Hotel Society | Insite | Molson Overdose Prevention Site | SisterSpace | Overdose Prevention Society | SafePoint
The Abbotstford Community Hub | ANKORS | ASK Wellness | St. Paul's Overdose Prevention Site | Powell Street Getaway | Three Bridges



























