
Drug Checking in Fraser Health


of Samples Tested by Expected Drug Category:


33 Samples Tested

Opioid: 28 / Stimulant: 1 / Psychedelic: 2 / Unknown: 2 / Depressant: 0 / Other: 0 / Polysubstance: 0









For information about current substances in the area contact: overdose@fraserhealth.ca.

This report summarizes key indicators for Fourier Transform Infrared (FTIR)/fentanyl test strip combination drug checking done in Fraser Health in November 2019.

As there is 5% fentanyl detection limit on the Bruker ALPHA Fourier-Transform Infrared (FTIR) spectrometer (McCrae, 2019), a drug check on any given sample consists of <u>both</u> the FTIR <u>and</u> BTNX fentanyl immunoassay test strip testing done in combination. When applicable, BTNX benzodiazepine or lysergic acid diethylamide (LSD) immunoassay test strips are also used. Please note that these data are not finalized and are subject to change.





Drug Checking in Fraser Health

of drugs checks and hours at each respective site:

Location	# of Drug Checks	Hours
SafePoint (Surrey)	24	12
Abbotsford Hub	9	16
Total	33	28

of samples that matched client expectation

*using FTIR/test strip drug checking

EXPECTED DRUG: Stimulant

1 Sample Tested



Matched: 1

EXPECTED DRUG:

Unknown 2 Samples Tested



Match not determined: 2

EXPECTED DRUG:

Psychedelics

2 Samples Tested



Matched: 2

EXPECTED DRUG:

Opioid

28 Samples Tested



Matched: 26
Did not match: 2

Total

33 Samples Tested



Matched: 29
Did not Match: 2

Match not determined: 2

Drug Checking in Fraser Health

of opioid samples that matched client expectation

*using FTIR/test strip drug checking

EXPECTED DRUG:

Fentanyl & Heroin

4 Samples Tested



Matched: 4

EXPECTED DRUG: Fentanyl

19 Samples Tested



Matched: 18 Did not match: 1 **EXPECTED DRUG:**

Heroin

2 Samples Tested



Matched: 2

EXPECTED DRUG:

Down

3 Samples Tested



Matched: 2 Did not match: 1



28 Samples Tested



Matched: 26 Did not Match: 2

> Please note that the presence of the expected substance does not imply purity, as samples frequently contain adulterating cutting agents *'Down' can refer to any opioid drug present in any amount

Depressant may include:

Opioid may include: benzodiazepines, "down," heroin, fentanyl, GHB, zopiclone fentanyl analogues, pharmaceutical opioids Polysubstance includes: cross-category mixtures

Psychedelic may include: 2C-family, tryptamines, ketamine, MDMA, LSD, cannabis

Stimulant may include: "speed", crystal meth, cocaine, cathinones

Unknown includes: all samples in which the client could not identify the expected substance

BCCSU gratefully acknowledge the contributions of the following partners:

SafePoint | The Abbotsford Community Hub Centre | Lookout Society















