
Drug Checking in Fraser Health

of Samples Tested by Expected Drug Category:

89 Samples Tested





of samples tested for fentanyl 74 Opioid 1 Psychedelic **1** Depressant **7** Stimulant **2** Unknown **3** Other 1 Polysubstance samples sample samples samples sample samples sample 73 **FENTANYL FENTANYL** 7 FENTANYL 1 FENTANYL 1 FENTANYL 2 FENTANYL **NEGATIVE** 3 FENTANYL 1 FENTANYL POSITIVE **NEGATIVE NEGATIVE** NEGATIVE **NEGATIVE NEGATIVE POSITIVE** (1%)(99%) (100%) (100%) (100%) (100%) (100%) (100%)

0

Public Health Notifications

Date & Location	Expected Drug	Drugs Detected	Fentanyl Strip	What does this mean?
30-October 2019- Safepoint	Down	Synthetic cannabinoid (suspected AMB-FUBINACA)	Positive	May cause cannabis-like hallucinations; Use at an OPS/SCS

For information about current substances in the area contact: overdose@fraserhealth.ca.

This report summarizes key indicators for Fourier Transform Infrared (FT-IR)/fentanyl test strip combination drug checking done in Fraser Health in October 2019.

As the FT-IR spectrometer has a detection limit of 3-4% by weight (Sherman et al., 2018), unless otherwise stated, a drug check on any given sample consists of <u>both</u> Bruker ALPHA Fourier-Transform Infrared (FTIR) spectrometer <u>and</u> BTNX fentanyl immunoassay test strip testing done in combination. When applicable, BTNX benzodiazepine or lysergic acid diethylamide (LSD) immunoassay test strips are also used.

Please note that these data are not finalized and are subject to change.

^{* &}quot;Fentanyl not tested" means that a fentanyl test stip wasn't done for the sample because the client declined to do the test, or they left before the test was able to be completed






Drug Checking in Fraser Health

of drugs checks and hours at each respective site:

Location	# of Drug Checks	Hours
SafePoint (Surrey)	62	24
Abbotsford Hub	27	24
Total	89	48

of samples that matched client expectation

*using FTIR/test strip drug checking



Drug Checking in Fraser Health

of opioid samples that matched client expectation

*using FTIR/test strip drug checking

EXPECTED DRUG:

Fentanyl & Heroin

1 Sample Tested



Matched: 1

EXPECTED DRUG: Heroin

2 Samples Tested



Matched: 2

EXPECTED DRUG:

Down

4 Samples Tested



Matched: 4

EXPECTED DRUG:

Fentanyl

65 Samples Tested



Matched: 65

EXPECTED DRUG:

Phamceutical

2 Samples Tested



Did not match: 2

Total

74 Samples Tested



Matched: 72

Did not Match: 2

Please note that the presence of the expected substance does not imply purity, as samples frequently contain adulterating cutting agents
*'Down' can refer to any opioid drug present in any amount

Depressant may include: benzodiazepines.

benzodiazepines, GHB, zopiclone Opioid may include: "down," heroin, fentanyl, fentanyl analogues, pharmaceutical opioids **Polysubstance includes:** cross-category mixtures

Psychedelic may include: 2C-family, tryptamines, ketamine, MDMA, LSD, cannabis Stimulant may include: "speed", crystal meth, cocaine, cathinones Unknown includes: all samples in which the client could not identify the expected substance

BCCSU gratefully acknowledge the contributions of the following partners:

SafePoint | The Abbotsford Community Hub Centre















