# **Drug Checking in Interior Health**

#### # of Samples Tested by Expected Drug Category:

53 Samples Tested

Opioid: 15 / Stimulant: 21 / Psychedelic: 11 / Unknown: 4 / Depressant: 2 / Other: 0 / Polysubstance: 0



### **Common Components, Cuts and Buffs**

UP

Cocaine

○ Caffeine

o Phenacetin (superbuff)



Methamphetamine

o Dimethylsulfone



Caffeine

Sweeteners Heroin

AMB-FUBINACA

DOWN

## # of samples tested for fentanyl

15 Opioid samples

12 FENTANYL POSITIVE (80%)



3 FENTANYL NEGATIVE (20%)

11 Psychedelic samples



11 FENTANYL NEGATIVE (100%)

21 Stimulant samples



21 FENTANYL NEGATIVE (100%)

2 Depressant samples



2 FENTANYL NEGATIVE (100%)

4 Unknown

samples
2 FENTANYL POSITIVE
(50%)



2 FENTANYL NEGATIVE (50%)



### **Public Health Notifications**

Date & Location Expected Drugs Detected Strip What does this mean?

No alerts from Interior Health this Month

For information about Public Health alerts, please visit: https://www.interiorhealth.ca/AboutUs/Leadership/MHO/Pages/PHEmergency.aspx

This report summarizes key indicators for Fourier Transform Infrared (FT-IR)/fentanyl test strip combination drug checking done in Interior Health in October 2019.

As the FT-IR spectrometer has a detection limit of 3-4% by weight (Sherman et al., 2018), unless otherwise stated, a drug check on any given sample consists of <u>both</u> Bruker ALPHA Fourier-Transform Infrared (FTIR) spectrometer <u>and</u> BTNX fentanyl immunoassay test strip testing done in combination. When applicable, BTNX benzodiazepine or lysergic acid diethylamide (LSD) immunoassay test strips are also used.

Please note that these data are not finalized and are subject to change.

\* "Fentanyl not tested" means that a fentanyl test stip wasn't done for the sample because the client declined to do the test, or they left before the test was able to be completed.






# **Drug Checking in Interior Health**

## # of drugs checks at each respective site:

Location	# of Drug Checks
ANKORS (Nelson)	38
ASK Head Office (Kamloops)	9
ODAX	6
Total	53

## # of samples that matched client expectation





Matched: 44 Did not match: 5 Match not determined: 4

# **Drug Checking in Interior Health**

## # of opioid samples that matched client expectation

\*using FTIR/test strip drug checking

EXPECTED DRUG:

Down

2 Samples Tested



**Fentanyl** 

8 Samples Tested



EXPECTED DRUG: Heroin

5 Samples Tested



Matched: 2

Matched: 8

Matched: 1

Did not match: 4

**Total** 

15 Samples Tested



Matched: 11 Did not match: 4

Please note that the presence of the expected substance does not imply purity, as samples frequently contain adulterating cutting agents \*'Down' can refer to any opioid drug present in any amount

Depressant may include: benzodiazepines, GHB, zopiclone **Opioid may include:** "down," heroin, fentanyl, fentanyl analogues, pharmaceutical opioids

**Polysubstance includes:** cross-category mixtures

Psychedelic may include: 2C-family, tryptamines, ketamine, MDMA, LSD, cannabis Stimulant may include: "speed", crystal meth, cocaine, cathinones Unknown includes: all samples in which the client could not identify the expected substance

BCCSU gratefully acknowledge the contributions of the following partners:

ANKORS | ASK Wellness | Kip-Mallery Pharmacies | Manshadi Pharmacy

















