
Drug Checking in Vancouver Coastal Health


of Samples Tested by Expected Drug Category:

233 Samples Tested





of samples tested for fentanyl





Public Health Notifications

| Date & Location | Expected Drug | Drugs Detected | Fentanyl Strip | What does this mean? |
|----------------------|------------------|---------------------------------------|-------------------|---|
| 3 October 2019- MOPS | Fentanyl | Suspected Etizolam and Carfentanil | Positive | Benzo OD's can recur after Naloxone; Check your drugs at any OPS or SCS |

To receive drug contamination alerts, text "alert" to (236) 999-DOPE (3673)

This report summarizes key indicators for Fourier Transform Infrared (FT-IR)/fentanyl test strip combination drug checking done in Vancouver Coastal Health in October 2019.

As the FT-IR spectrometer has a detection limit of 3-4% by weight (Sherman et al., 2018), unless otherwise stated, a drug check on any given sample consists of <u>both</u> Bruker ALPHA Fourier-Transform Infrared (FTIR) spectrometer <u>and</u> BTNX fentanyl immunoassay test strip testing done in combination. When applicable, BTNX benzodiazepine or lysergic acid diethylamide (LSD) immunoassay test strips are also used.

Please note that these data are not finalized and are subject to change.

^{* &}quot;Fentanyl not tested" means that a fentanyl test stip wasn't done for the sample because the client declined to do the test, or they left before the test was able to be completed.





of drugs checks and hours at each respective site:

| Location | # of Drug Checks | Hours |
|-------------|------------------|-------|
| Insite | 128 | 28 |
| Molson OPS | 100 | 28 |
| SisterSpace | 5 | 3 |
| Total | 233 | 59 |

of samples that matched client expectation

*using FTIR/test strip drug checking

EXPECTED DRUG: Depressant

7 Samples Tested



Matched: 1
Did not match: 6

EXPECTED DRUG:

Unknown

8 Samples Tested



Match not determined: 8

EXPECTED DRUG: Psychedelic

22 Samples Tested



Matched: 22

Stimulant

45 Samples Tested



Matched: 44 Did not match: 1

EXPECTED DRUG:

Opioid

151 Samples Tested



Matched: 137 Did not match: 14

Total

233 Samples Tested



Matched: 204

Did not match: 21

Match not determined: 8

Drug Checking in Vancouver Coastal Health

of opioid samples that matched client expectation

*using FTIR/test strip drug checking

EXPECTED DRUG:

Fentanyl Analogue

5 Sample Tested



Matched: 3
Did not match: 2

EXPECTED DRUG:

Heroin

14 Samples Tested



Matched: 9
Did not match: 5

EXPECTED DRUG:

Down

54 Samples Tested



Matched: 50 Did not match: 4

EXPECTED DRUG:

Fentanyl

78 Samples Tested



Matched: 75
Did not match: 3

Total

151 Samples Tested



Matched: 137 Did not match: 14

Please note that the presence of the expected substance does not imply purity, as samples frequently contain adulterating cutting agents *'Down' can refer to any opioid drug present in any amount

Depressant may include: benzodiazepines, GHB, zopiclone **Opioid may include:** "down," heroin, fentanyl, fentanyl analogues, pharmaceutical opioids

Polysubstance includes: cross-category mixtures

Psychedelic may include: 2C-family, tryptamines, ketamine, MDMA, LSD, cannabis Stimulant may include: "speed", crystal meth, cocaine. cathinones

Unknown includes: all samples in which the client could not identify the expected substance

BCCSU and VCH gratefully acknowledge the contributions of the following partners:

Portland Hotel Society | Insite | Molson Overdose Prevention Site | SisterSpace | Overdose Prevention Society

St. Paul's Overdose Prevention Site | Powell Street Getaway | Three Bridges















