10 Opioid

samples


Drug Checking in Interior Health

of Samples Tested by Expected Drug Category:

49 Samples Tested

Opioid 10 / Stimulant: 13 / Psychedelic: 15 / Unknown: 10 / Depressant: 1 / Other: 0 / Polysubstance: 0





of samples tested for fentanyl 15 Psychedelic samples 13 Stimulant sample 1 Depressant samples 14 FENTANYL NEGATIVE (93%) 8 FENTANYL NEGATIVE (80%)



This report summarizes key indicators for Fourier Transform Infrared (FTIR)/fentanyl test strip combination drug checking done in Interior Health in March 2020.

As there is 5% fentanyl detection limit on the Bruker ALPHA Fourier-Transform Infrared (FTIR) spectrometer (McCrae, 2019), a drug check on any given sample consists of <u>both</u> the FTIR <u>and</u> BTNX fentanyl immunoassay test strip testing done in combination. When applicable, BTNX benzodiazepine or lysergic acid diethylamide (LSD) immunoassay test strips are also used.

Please note that these data are not finalized and are subject to change.

* "Fentanyl not tested" means that a fentanyl test stip wasn't done for the sample because the client declined to do the test, or they left before the test was able to be completed.





Drug Checking in Interior Health

of drugs checks at each respective site:

Location	# of Drug Checks
ANKORS (Nelson)	23
ASK Head Office (Kamloops)	11
ASK Merritt	2
ASK Penticton	4
Kipp-Mallery Landmark (Kamloops)	2
Cammy Lafleur Street Clinic (Vernon)	4
The Bus Mobile OPS	3
Total	49

of samples that matched client expectation

*using FTIR/test strip drug checking

EXPECTED DRUG:

Psychedelic

15 Samples Tested



Matched: 13
Did not match:

Did not match: 2

EXPECTED DRUG: Opioid

10 Samples Tested



Matched: 10

EXPECTED DRUG:

Stimulant

13 Samples Tested



Matched: 13

EXPECTED DRUG:

Unknown

10 Samples Tested



Match not determined: 10

EXPECTED DRUG:

Depressant

1 Sample Tested



Did not match: 1

Total

49 Samples Tested



Matched: 36

Did not match: 3

Match not determined: 10

Drug Checking in Interior Health

of opioid samples that matched client expectation

*using FTIR/test strip drug checking

EXPECTED DRUG:

1 Sample Tested

Matched: 1

Fentanyl and Heroin

EXPECTED DRUG:

Fentanyl

7 Samples Tested



Matched: 7

EXPECTED DRUG:

Down

2 Samples Tested



Matched: 2

Total

10 Samples Tested



Matched: 10

Please note that the presence of the expected substance does not imply purity, as samples frequently contain adulterating cutting agents *'Down' can refer to any opioid drug present in any amount

Depressant may include: benzodiazepines, GHB, zopiclone

Opioid may include: "down," heroin, fentanyl, fentanyl analogues, pharmaceutical opioids

Polysubstance includes: cross-category mixtures

Psychedelic may include: 2C-family, tryptamines, ketamine, MDMA, LSD, cannabis

Stimulant may include: "speed", crystal meth, cocaine, cathinones

Unknown includes: all samples in which the client could not identify the expected substance

BCCSU gratefully acknowledge the contributions of the following partners:

ANKORS | ASK Wellness | Kipp-Mallery Pharmacies | Manshadi Pharmacy | The Branch

















